



PAMS

InspectionBaseController

Kind: Controller

VERSION
4

UPDATED
11 August 2026

DOCUMENT
reference-subsystem-pams/controller-inspectionbasecontroller

CONTENTS

1	Where it refuses work	2	3	Used by	6
2	Relationships	2			

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Common/InspectionBaseController.cs (line 9)

Part of: Pams

1 Where it refuses work

- `InspectionBaseController` stops the work with an early return when `!logic.IsFound(CompanyID, id)`.
- `InspectionBaseController` stops the work with an early return when `logic.IsExist(CompanyID, model.Id, model.Name)`.
- `InspectionBaseController` stops the work with an early return when `isSaved == Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully`.
- `InspectionBaseController` stops the work with an early return when `!logic.IsFound(CompanyID, model.ID)`.
- `InspectionBaseController` stops the work with an early return when `isSaved == Business.Entity.EnumNewSales.EnumReturnMessage.DeletedSuccessfully`.

2 Relationships

- MODULE_DECLARES → `GetLookup`
- MODULE_DECLARES → `GetAll`
- MODULE_DECLARES → `Save`
- MODULE_DECLARES → `Delete`
- IMPORTS → `BaseController`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetLookup`
- IMPORTS → `GetLookup`
- IMPORTS → `GetLookup`

- [illegible]

-
- IMPORTS → GetAll
 - IMPORTS → GetAll
 - IMPORTS → GetAll
 - IMPORTS → GetAll
 - IMPORTS → GetAll
 - IMPORTS → GetAll
 - IMPORTS → GetAll
 - IMPORTS → GetAll
 - IMPORTS → GetAll
 - IMPORTS → GetAll
 - IMPORTS → GetAll
 - IMPORTS → GetAll
 - IMPORTS → GetAll
 - IMPORTS → GetAll
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
 - IMPORTS → Save
-

- [illegible]

- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → DeleteDto

3 Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (2)

- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126