

# InspectionBaseController

August 17, 2026

---

## InspectionBaseController

---

**Kind:** Controller

**Source:** Pams/API/Pams.API/Controllers/Common/InspectionBaseController.cs (line 9)

**Part of:** Pams

### Where it refuses work

- `InspectionBaseController` stops the work with an early return when `!logic.IsFound(CompanyID, id)` .
- `InspectionBaseController` stops the work with an early return when `logic.IsExist(CompanyID, model.Id, model.Name)` .
- `InspectionBaseController` stops the work with an early return when `isSaved == Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully` .
- `InspectionBaseController` stops the work with an early return when `!logic.IsFound(CompanyID, model.ID)` .
- `InspectionBaseController` stops the work with an early return when `isSaved == Business.Entity.EnumNewSales.EnumReturnMessage.DeletedSuccessfully` .

### Relationships

- MODULE\_DECLARES → `GetLookup`
- MODULE\_DECLARES → `GetAll`
- MODULE\_DECLARES → `Save`
- MODULE\_DECLARES → `Delete`
- IMPORTS → `BaseController`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`

- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll

- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save

- [illegible]

- [illegible]

## Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

**calls by (2)**

- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126