

ItemController

August 17, 2026

ItemController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Sales/ItemController.cs (line 18)

Part of: Pams

Where it refuses work

- `ItemController` stops the work with an early return when `ModelState.IsValid` , in 2 places.
- `ItemController` stops the work with an early return when `!success` , in 2 places.

When something fails

- `ItemController` handles failure in 8 places: it turns it into a return value in all 8.

Relationships

- MODULE_DECLARES → `GetByID`
- MODULE_DECLARES → `GetByCompanynyBranchID`
- MODULE_DECLARES → `insert`
- MODULE_DECLARES → `update`
- IMPORTS → `BaseController`
- IMPORTS → `GetByID`
- IMPORTS → `GetByID`
- IMPORTS → `GetByID`
- IMPORTS → `GetByID`
- IMPORTS → `GetByID`
- IMPORTS → `Item`

- IMPORTS → ItemBindingModel
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save

Used by

5 references from 5 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (5)

- BillOfMaterialsService — Frontend/src/app/components/bill-of-materials/bill-of-materials.service.ts :1
- BillOfMaterialsService — Pams/Web/Pams.Web/Client/app/components/bill-of-materials/bill-of-materials.service.ts :1
- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126
- AppSettings — Pams/Web/Pams.WebApp/Client/app/settings/app/app.settings.ts :6

