

JobGuaranteesController

August 18, 2026

JobGuaranteesController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Sales/JobGuaranteesController.cs (line 24)

Part of: [Pams](#)

Where it refuses work

- `JobGuaranteesController` stops the work with an early return when `!success` , in 3 places.
- `JobGuaranteesController` stops the work with an early return when `!ModelState.IsValid` , in 2 places.
- `JobGuaranteesController` stops the work with an early return when `!item.HasObject` .
- `JobGuaranteesController` stops the work with an early return when `count > 0` .
- `JobGuaranteesController` stops the work with an early return when `jobGuarantee==null || !jobGuarantee.HasObject` .

When something fails

- `JobGuaranteesController` handles failure in 12 places: it turns it into a return value in all 12.

Relationships

- MODULE_DECLARES → `GetByInquiryNumber`
- MODULE_DECLARES → `GetByInquiryNumberTypeID`
- MODULE_DECLARES → `Delete`
- MODULE_DECLARES → `Insert`
- MODULE_DECLARES → `Update`
- IMPORTS → `JobGuarantees`

- IMPORTS → BaseController
- IMPORTS → JobGuaranteesBindingModel
- IMPORTS → TimePeriod
- IMPORTS → TimePeriodBindingModel
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update

Used by

3 references from 3 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (3)

- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126
- AppSettings — Pams/Web/Pams.WebApp/Client/app/settings/app/app.settings.ts :6