

# MRQJobController

August 19, 2026

---

## MRQJobController

---

**Kind:** Controller

**Source:** Pams/API/Pams.API/Controllers/PM/MRQJobController.cs (line 9)

**Part of:** [Pams](#)

### Where it refuses work

- `MRQJobController` stops the work with an early return when `isSaved != Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully` , in 3 places.
- `MRQJobController` stops the work with an early return when `!isFound` , in 2 places.
- `MRQJobController` stops the work with an early return when `isSaved == Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully` , in 2 places.
- `MRQJobController` stops the work with an early return when `!logic.IsFound(model.ID, CompanyID)` , in 2 places.
- `MRQJobController` stops the work with an early return when `!logic.IsFound(id, CompanyID)` .

### Relationships

- MODULE\_DECLARES → `GetById`
- MODULE\_DECLARES → `GetAllJobs`
- MODULE\_DECLARES → `GetAllJobsFunnel`
- MODULE\_DECLARES → `GetAllJobsByDetail`
- MODULE\_DECLARES → `GetAllJobsByDetailFunnel`
- MODULE\_DECLARES → `CreateJob`
- MODULE\_DECLARES → `UpdateJob`
- MODULE\_DECLARES → `UpdateJobStage`
- MODULE\_DECLARES → `ConvertMRQJobBackToInquiry`

- MODULE\_DECLARES → ConvertMRQJobBackToOffer
- IMPORTS → BaseController
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → MRQJobBindingModel
- IMPORTS → DeleteDto

## Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

### calls by (2)

- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126