

NotificationController

August 17, 2026

NotificationController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Common/NotificationController.cs (line 11)

Part of: Pams

Where it refuses work

- NotificationController stops the work with an early return when !ModelState.IsValid , in 4 places.
- NotificationController stops the work with an early return when !success , in 3 places.
- NotificationController stops the work with an early return when !ms.HasObject , in 2 places.
- NotificationController stops the work with an early return when ms.HasObject .

When something fails

- NotificationController handles failure in 6 places: it turns it into a return value in all 6.

Relationships

- MODULE_DECLARES → GetAll
- MODULE_DECLARES → GetById
- MODULE_DECLARES → Insert
- MODULE_DECLARES → Update
- MODULE_DECLARES → Save
- MODULE_DECLARES → Delete
- IMPORTS → Notification

- [illegible]

- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert
- IMPORTS → Insert

- [illegible]

- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Update
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete

- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete

Used by

3 references from 3 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (3)

- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126
- AppSettings — Pams/Web/Pams.WebApp/Client/app/settings/app/app.settings.ts :6