

# OfferController

August 18, 2026

## OfferController

**Kind:** Controller

**Source:** Pams/API/Pams.API/Controllers/Sales/OfferController.cs (line 23)

**Part of:** [Pams](#)

## Relationships

- IMPORTS → BaseController
- IMPORTS → Offer
- IMPORTS → GetByCompanyBranchID
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → OfferBindingModel
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete

- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → OfferWithInquiry
- IMPORTS → OfferWithInquiryBindingModel
- IMPORTS → Inquiry
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → OfferVersion
- IMPORTS → Import
- IMPORTS → GetSheet
- IMPORTS → GetSheet
- IMPORTS → GetSheet
- IMPORTS → Person
- IMPORTS → Employee
- IMPORTS → InquiryType
- IMPORTS → Category
- IMPORTS → CategoryType
- IMPORTS → CompanyCurrency
- IMPORTS → OfferStatus
- IMPORTS → OrderChance
- IMPORTS → PaymentMethod
- IMPORTS → DeliveryTerm
- IMPORTS → OfferImportModel
- IMPORTS → LookUpImportModel

- IMPORTS → PostedFile
- IMPORTS → InquiryImportModel

## Used by

3 references from 3 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

### calls by (3)

- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126
- AppSettings — Pams/Web/Pams.WebApp/Client/app/settings/app/app.settings.ts :6