



PAMS

OfferStatusController

Kind: Controller

VERSION
4

UPDATED
11 August 2026

DOCUMENT
reference-subsystem-pams/controller-offerstatuscontroller

CONTENTS

1	Where it refuses work	2	3	Used by	3
2	Relationships	2			

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Sales/OfferStatusController.cs (line 13)

Part of: Pams

1 Where it refuses work

- OfferStatusController stops the work with an early return when success, in 2 places.
- OfferStatusController stops the work with an early return when !ModelState.IsValid.
- OfferStatusController stops the work with an early return when logic.Exists(CompanyID, model.OfferStatusID, model.Name).
- OfferStatusController stops the work with an early return when !logic.IsFound(CompanyID, ID).

2 Relationships

- MODULE_DECLARES → GetAll
- MODULE_DECLARES → Get
- MODULE_DECLARES → Save
- MODULE_DECLARES → Delete
- IMPORTS → BaseController
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save

