

OfferStatusController

August 17, 2026

OfferStatusController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Sales/OfferStatusController.cs (line 13)

Part of: [Pams](#)

Where it refuses work

- OfferStatusController stops the work with an early return when success , in 2 places.
- OfferStatusController stops the work with an early return when !ModelState.IsValid .
- OfferStatusController stops the work with an early return when logic.Exists(CompanyID, model.OfferStatusID, model.Name) .
- OfferStatusController stops the work with an early return when !logic.IsFound(CompanyID, ID) .

Relationships

- MODULE_DECLARES → GetAll
- MODULE_DECLARES → Get
- MODULE_DECLARES → Save
- MODULE_DECLARES → Delete
- IMPORTS → BaseController
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll

- [illegible]

Used by

3 references from 3 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (3)

- `AppSettings` — `Frontend/src/app/settings/app/app.settings.ts` :241
- `AppSettings` — `Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts` :126
- `AppSettings` — `Pams/Web/Pams.WebApp/Client/app/settings/app/app.settings.ts` :6

