

PrincipalTargetController

August 19, 2026

PrincipalTargetController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/BookingTarget/PrincipalTargetController.cs (line 11)

Part of: [Pams](#)

Where it refuses work

- `PrincipalTargetController` stops the work with an early return when `!isFound` , in 2 places.
- `PrincipalTargetController` stops the work with an early return when `isSaved == Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully` , in 2 places.
- `PrincipalTargetController` stops the work with an early return when `isFound` .

Relationships

- MODULE_DECLARES → `GetById`
- MODULE_DECLARES → `GetPrincipalsTargetByYear`
- MODULE_DECLARES → `SavePrincipalTarget`
- MODULE_DECLARES → `CreatePrincipalTargetForNewYear`
- IMPORTS → `BaseController`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `PrincipalBookingTarget`

Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (2)

- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126