

ProductController

August 18, 2026

ProductController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/PM/ProductController.cs (line 9)

Part of: [Pams](#)

Where it refuses work

- `ProductController` stops the work with an early return when `isSaved != Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully` , in 2 places.
- `ProductController` stops the work with an early return when `!logic.IsFound(id, CompanyID)` .
- `ProductController` stops the work with an early return when `!logic.IsFound(model.Id, CompanyID) && model.Id > 0` .
- `ProductController` stops the work with an early return when `model?.Products?.Count == 0` .
- `ProductController` stops the work with an early return when `!logic.IsFound(model.ID, CompanyID)` .
- `ProductController` stops the work with an early return when `isDeleted != Business.Entity.EnumNewSales.EnumReturnMessage.DeletedSuccessfully` .

Relationships

- MODULE_DECLARES → `GetById`
- MODULE_DECLARES → `GetLookup`
- MODULE_DECLARES → `GetAllStoresLookup`
- MODULE_DECLARES → `GetAllProductsByFilter`
- MODULE_DECLARES → `GetAllProductsByFilterFunnel`
- MODULE_DECLARES → `GetAllProducts`

- MODULE_DECLARES → GetAllProductsFunnel
- MODULE_DECLARES → GetAllStoresDetailByProductId
- MODULE_DECLARES → GetAllStoresDetail
- MODULE_DECLARES → GetAllStoresDetailFunnel
- MODULE_DECLARES → SaveProduct
- MODULE_DECLARES → UpdateAssembledProducts
- MODULE_DECLARES → DeleteProduct
- MODULE_DECLARES → EditProductToStore
- MODULE_DECLARES → GetExternalAppConfig
- MODULE_DECLARES → GetLookupFromExternalApp
- IMPORTS → BaseController
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetLookup
- IMPORTS → ProductBindingModel
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → MismatchedProductsBindingModel
- IMPORTS → Delete
- IMPORTS → DeleteDto
- IMPORTS → StoreProductBindingModel

Used by

3 references from 3 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (3)

- ProductsDetailsComponent — Frontend/src/app/components/configuration/products/products-details/products-details.component.ts :1
- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126