



PAMS

ProductVariantController

Kind: Controller

VERSION
4

UPDATED
11 August 2026

DOCUMENT
reference-subsystem-pams/controller-productvariantcontroller

CONTENTS

1	Where it refuses work	2	3	Used by	3
2	Relationships	2			

Kind: Controller

Source: Pams/API/Pams.API/Controllers/PM/ProductVariantController.cs (line 9)

Part of: Pams

1 Where it refuses work

- `ProductVariantController` stops the work with an early return when `!logic.IsFound(id, CompanyID)`.
- `ProductVariantController` stops the work with an early return when `!new Pams.Business.Component.PM.ProductLogic().IsFound(productId, CompanyID)`.
- `ProductVariantController` stops the work with an early return when `isSaved != Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully`.
- `ProductVariantController` stops the work with an early return when `!logic.IsFound(model.ID, CompanyID)`.
- `ProductVariantController` stops the work with an early return when `isDeleted != Business.Entity.EnumNewSales.EnumReturnMessage.DeletedSuccessfully`.

2 Relationships

- MODULE_DECLARES → `GetById`
- MODULE_DECLARES → `GetAllByProductId`
- MODULE_DECLARES → `SaveProductVariant`
- MODULE_DECLARES → `DeleteProductVariant`
- IMPORTS → `BaseController`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetAllByProductId`
- IMPORTS → `ProductVariantBindingModel`
- IMPORTS → `Save`
- IMPORTS → `Save`
- IMPORTS → `Save`

- IMPORTS → Delete
- IMPORTS → DeleteDto

3 Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (2)

- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126