



PAMS

ProductWithdrawalController

Kind: Controller

VERSION
4

UPDATED
11 August 2026

DOCUMENT
reference-subsystem-pams/controller-productwithdrawalcontroller

CONTENTS

1	Relationships	2	2	Used by	3
----------	---------------	----------	----------	---------	----------

Kind: Controller

Source: `Pams/API/Pams.API/Controllers/Warehouse/ProductWithdrawalController.cs` (line 9)

Part of: [Pams](#)

1 Relationships

- IMPORTS → `BaseController`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `CreateSheet`
- IMPORTS → `CreateSheet`
- IMPORTS → `ProductWithdrawalBindingModel`
- IMPORTS → `UpdateSheet`
- IMPORTS → `DeleteSheet`
- IMPORTS → `DeleteSheet`
- IMPORTS → `DeleteSheet`
- IMPORTS → `DeleteDto`

2 Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (2)

- `AppSettings` — `Frontend/src/app/settings/app/app.settings.ts`:241
- `AppSettings` — `Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts`:126