

# PurchasingOfferController

August 17, 2026

---

## PurchasingOfferController

---

**Kind:** Controller

**Source:** Pams/API/Pams.API/Controllers/Purchasing/PurchasingOfferController.cs (line 14)

**Part of:** Pams

### Where it refuses work

- `PurchasingOfferController` stops the work with an early return when `!isFound` , in 10 places.
- `PurchasingOfferController` stops the work with an early return when `obj.Id == 0` , in 3 places.
- `PurchasingOfferController` stops the work with an early return when `isEntitySaved != Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully` , in 3 places.
- `PurchasingOfferController` stops the work with an early return when `!entity.HasObject` , in 3 places.
- `PurchasingOfferController` stops the work with an early return when `isEntitySaved == Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully` , in 3 places.
- `PurchasingOfferController` stops the work with an early return when `isCanceled != Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully` , in 3 places.

### Relationships

- MODULE\_DECLARES → `GetPurchasingOffersByJobId`
- MODULE\_DECLARES → `GetOfferById`
- MODULE\_DECLARES → `GetOfferWithAllDetailesById`
- MODULE\_DECLARES → `GetCancelReasonById`
- MODULE\_DECLARES → `GetRegretReasonById`
- MODULE\_DECLARES → `GetRejectReasonById`

- MODULE\_DECLARES → CreateOffer
- MODULE\_DECLARES → UpdateOffer
- MODULE\_DECLARES → ChangeOfferStage
- MODULE\_DECLARES → ConvertInquiryToOffer
- MODULE\_DECLARES → ConvertOfferBackToInquiry
- MODULE\_DECLARES → DeleteOffer
- MODULE\_DECLARES → UpdateCancelReason
- MODULE\_DECLARES → UpdateRegretReason
- MODULE\_DECLARES → UpdateRejectReason
- MODULE\_DECLARES → RegretOffer
- MODULE\_DECLARES → CancelOffer
- MODULE\_DECLARES → RejectOffer
- MODULE\_DECLARES → UndoCancelPurchaseOffer
- MODULE\_DECLARES → UndoRegretPurchaseOffer
- MODULE\_DECLARES → UndoRejectPurchaseOffer
- IMPORTS → BaseController
- IMPORTS → SalesOfferBindingModel
- IMPORTS → GetCancelReasonById
- IMPORTS → GetCancelReasonById
- IMPORTS → GetCancelReasonById
- IMPORTS → GetRegretReasonById
- IMPORTS → GetRegretReasonById
- IMPORTS → GetRejectReasonById
- IMPORTS → GetRejectReasonById
- IMPORTS → PurchasingOfferBindingModel
- IMPORTS → SignalRModel
- IMPORTS → PurchasingInquiryBindingModel
- IMPORTS → GetJobById
- IMPORTS → DeleteDto
- IMPORTS → UpdateCancelReason
- IMPORTS → UpdateCancelReason
- IMPORTS → CancelDetailBindingModel
- IMPORTS → PurchaseOfferCancelDetail

- IMPORTS → UpdateRegretReason
- IMPORTS → RegretDetailBindingModel
- IMPORTS → PurchaseOfferRegretDetail
- IMPORTS → UpdateRejectReason
- IMPORTS → RejectDetailBindingModel
- IMPORTS → PurchaseOfferRejectDetail

## Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

### calls by (2)

- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126