

SalesJobController

August 17, 2026

SalesJobController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Sales/SalesJobController.cs (line 17)

Part of: Pams

Where it refuses work

- SalesJobController stops the work with an early return when !entity.HasObject , in 19 places.
- SalesJobController stops the work with an early return when !jobLogic.IsFound(jobId, CompanyID) , in 18 places.
- SalesJobController stops the work with an early return when !jobLogic.IsFound(model.ID, CompanyID) , in 11 places.
- SalesJobController stops the work with an early return when isSaved != Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully , in 7 places.
- SalesJobController stops the work with an early return when isUnarchived != Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully , in 7 places.
- SalesJobController stops the work with an early return when isCanceled != Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully , in 4 places.

Relationships

- MODULE_DECLARES → GetLookupPeriod
- MODULE_DECLARES → GetLookupJobStatus
- MODULE_DECLARES → GetSalesJobsHaveNoSurvey
- MODULE_DECLARES → GetSalesJobsHaveNoSurveyFunnel
- MODULE_DECLARES → GetSalesJobsByBranch
- MODULE_DECLARES → GetSalesJobsByBranchGrouped

- MODULE_DECLARES → GetSalesJobsByBranchFunnel
- MODULE_DECLARES → GetInstandSalesJobsByClient
- MODULE_DECLARES → GetInstandSalesJobsFunnelByClient
- MODULE_DECLARES → GetSalesJobById
- MODULE_DECLARES → GetJobWithAllDetailesById
- MODULE_DECLARES → GetSalesJobWithLeadsByJobId
- MODULE_DECLARES → GetSalesJobWithPotintialsByJobId
- MODULE_DECLARES → GetSalesJobWithPotintialsAndStageByJobId
- MODULE_DECLARES → GetSalesJobWithOffresByJobId
- MODULE_DECLARES → GetSalesJobWithOrderssByJobId
- MODULE_DECLARES → GetJobAccountListByBranch
- MODULE_DECLARES → GetArchivedJobAccountListByBranch
- MODULE_DECLARES → IsUserAllowedToDeliver
- MODULE_DECLARES → CreateSalesJob
- MODULE_DECLARES → UpdateSalesJob
- MODULE_DECLARES → UpdateSalesJobStage
- MODULE_DECLARES → DeleteSalesJob
- MODULE_DECLARES → UnDeleteSalesJob
- MODULE_DECLARES → UltemateDeleteSalesJob
- MODULE_DECLARES → ConvertSalesJobFromPotentialToOffer
- MODULE_DECLARES → ConvertSalesJobbackToLead
- MODULE_DECLARES → ConvertSalesJobbackToInquiry
- MODULE_DECLARES → ConvertSalesJobbackToOffer
- MODULE_DECLARES → RegretSalesJob
- MODULE_DECLARES → CancelSalesJob
- MODULE_DECLARES → RegretOfferedJob
- MODULE_DECLARES → CancelOfferedJob
- MODULE_DECLARES → LossOfferedJob
- MODULE_DECLARES → CancelOrderedJob
- MODULE_DECLARES → RejectOrderedJob
- MODULE_DECLARES → UnRegretNewSalesJob
- MODULE_DECLARES → UnCancelNewSalesJob
- MODULE_DECLARES → UnRegretOfferedJob

- MODULE_DECLARES → UnCancelOfferedJob
- MODULE_DECLARES → UnLossOfferedJob
- MODULE_DECLARES → UnCancelOrderedJob
- MODULE_DECLARES → UnRejectOrderedJob
- MODULE_DECLARES → UnDeliverJob
- IMPORTS → BaseController
- IMPORTS → LookUpImportModel
- IMPORTS → Import
- IMPORTS → SalesJobBindingModel
- IMPORTS → CreateSalesJob
- IMPORTS → UpdateSalesJob
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → GetJobById
- IMPORTS → DeleteDto
- IMPORTS → RegretDetailBindingModel
- IMPORTS → SalesPotentialRegretDetail
- IMPORTS → CancelDetailBindingModel
- IMPORTS → SalesPotentialCancelDetail
- IMPORTS → SalesOfferRegretDetail
- IMPORTS → SalesOfferCancelDetail
- IMPORTS → LossDetailBindingModel
- IMPORTS → SalesOfferLossDetail
- IMPORTS → SalesOrderCancelDetail
- IMPORTS → RejectDetailBindingModel

- IMPORTS → SalesOrderRejectDetail
- IMPORTS → SalesOfferBindingModel

Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (2)

- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126