

SalesOfferController

August 18, 2026

SalesOfferController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Sales/SalesOfferController.cs (line 16)

Part of: Pams

Where it refuses work

- SalesOfferController stops the work with `HttpResponseException` when `!new Business.Component.NewSales.SalesJobLogic().IsUserAllowedToPrint(branchId, userId)` , in 2 places.
- SalesOfferController stops the work with `HttpResponseException` when `dataStream == null` , in 2 places.
- SalesOfferController stops the work with `HttpResponseException` when `!offerEntity.HasObject` .
- SalesOfferController stops the work with `HttpResponseException` when `!jobEntity.HasObject` .
- SalesOfferController stops the work with `HttpResponseException` when `salesOffer == null` .
- SalesOfferController stops the work with `HttpResponseException` when `!isFound` .

Relationships

- MODULE_DECLARES → `getPrincipalContractCommission`
- MODULE_DECLARES → `GetOffersByBranch`
- MODULE_DECLARES → `GetOffersByJobId`
- MODULE_DECLARES → `GetOfferById`
- MODULE_DECLARES → `GetOfferWithAllDetailsById`
- MODULE_DECLARES → `GetCancelReasonById`

- MODULE_DECLARES → GetLossReasonById
- MODULE_DECLARES → GetRegretReasonById
- MODULE_DECLARES → CreateOffer
- MODULE_DECLARES → UpdateOffer
- MODULE_DECLARES → RequestPrices
- MODULE_DECLARES → UpdateSalesOfferStage
- MODULE_DECLARES → ExtendSalesOffer
- MODULE_DECLARES → ExtendSalesOfferRequest
- MODULE_DECLARES → ConvertSalesPotentialToOffer
- MODULE_DECLARES → AddNote
- MODULE_DECLARES → DeleteSalesOffer
- MODULE_DECLARES → UpdateCancelReason
- MODULE_DECLARES → UpdateRegretReason
- MODULE_DECLARES → UpdateLossReason
- MODULE_DECLARES → RegretSalesOffer
- MODULE_DECLARES → CancelSalesOffer
- MODULE_DECLARES → LossSalesOffer
- MODULE_DECLARES → UndoRegretSalesOffer
- MODULE_DECLARES → UndoCancelSalesOffer
- MODULE_DECLARES → UndoLossSalesOffer
- MODULE_DECLARES → ApproveArchiveRequest
- MODULE_DECLARES → RejectArchiveRequest
- MODULE_DECLARES → CreateOfferPrintTemplate
- MODULE_DECLARES → PrintWordOffer
- MODULE_DECLARES → PrintWordCoverLetter
- IMPORTS → BaseController
- IMPORTS → SalesOfferBindingModel
- IMPORTS → GetCancelReasonById
- IMPORTS → GetCancelReasonById
- IMPORTS → GetCancelReasonById
- IMPORTS → GetLossReasonById
- IMPORTS → GetRegretReasonById
- IMPORTS → GetRegretReasonById

- IMPORTS → RequestPrices
- IMPORTS → DeleteDto
- IMPORTS → AddNote
- IMPORTS → SalesNoteDto
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → UpdateCancelReason
- IMPORTS → UpdateCancelReason
- IMPORTS → UpdateCancelReason
- IMPORTS → CancelDetailBindingModel
- IMPORTS → SalesOfferCancelDetail
- IMPORTS → UpdateRegretReason
- IMPORTS → UpdateRegretReason
- IMPORTS → RegretDetailBindingModel
- IMPORTS → SalesOfferRegretDetail
- IMPORTS → UpdateLossReason

- IMPORTS → LossDetailBindingModel
- IMPORTS → SalesOfferLossDetail
- IMPORTS → ApproveArchiveRequest
- IMPORTS → ApproveArchiveRequest
- IMPORTS → RejectArchiveRequest
- IMPORTS → RejectArchiveRequest
- IMPORTS → PrintWord
- IMPORTS → GetJobById

Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (2)

- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126