

SalesOrderController

August 17, 2026

SalesOrderController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Sales/SalesOrderController.cs (line 16)

Part of: [Pams](#)

Where it refuses work

- `SalesOrderController` stops the work with `HttpResponseException` when `!orderEntity.HasObject` .
- `SalesOrderController` stops the work with `HttpResponseException` when `!jobEntity.HasObject` .
- `SalesOrderController` stops the work with `HttpResponseException` when `!new Business.Component.NewSales.SalesJobLogic().IsUserAllowedToPrint(branchId, userId)` .
- `SalesOrderController` stops the work with `HttpResponseException` when `dataStream == null` .
- `SalesOrderController` stops the work with an early return when `!entity.HasObject` , in 7 places.
- `SalesOrderController` stops the work with an early return when `!isFound` , in 5 places.

Relationships

- MODULE_DECLARES → `GetOrdersByBranch`
- MODULE_DECLARES → `GetOrdersByJobId`
- MODULE_DECLARES → `GetOrderById`
- MODULE_DECLARES → `GetOrderWithAllDetailsById`
- MODULE_DECLARES → `GetCancelReasonById`
- MODULE_DECLARES → `GetRejectReasonById`

- MODULE_DECLARES → CreateOrder
- MODULE_DECLARES → UpdateOrder
- MODULE_DECLARES → RequestPrices
- MODULE_DECLARES → UpdateSalesOrderStage
- MODULE_DECLARES → SaveNote
- MODULE_DECLARES → SaveOrderConditions
- MODULE_DECLARES → DeleteAmedmentOrder
- MODULE_DECLARES → UpdateCancelReason
- MODULE_DECLARES → UpdateRejectReason
- MODULE_DECLARES → DeliverSalesOrder
- MODULE_DECLARES → DeliverShipedOrder
- MODULE_DECLARES → UnDeliverShipedOrder
- MODULE_DECLARES → ConvertSalesOfferToOrder
- MODULE_DECLARES → RejectSalesOrder
- MODULE_DECLARES → CancelSalesOrder
- MODULE_DECLARES → UndoRejectSalesOrder
- MODULE_DECLARES → UndoCancelSalesOrder
- MODULE_DECLARES → ApproveArchiveRequest
- MODULE_DECLARES → RejectArchiveRequest
- MODULE_DECLARES → EmailPotentialToPrincipal
- MODULE_DECLARES → PrintWordOrder
- IMPORTS → BaseController
- IMPORTS → SalesOrderBindingModel
- IMPORTS → GetCancelReasonById
- IMPORTS → GetCancelReasonById
- IMPORTS → GetCancelReasonById
- IMPORTS → GetRejectReasonById
- IMPORTS → RequestPrices
- IMPORTS → SalesNoteDto
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete

- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → DeleteDto
- IMPORTS → UpdateCancelReason
- IMPORTS → UpdateCancelReason
- IMPORTS → UpdateCancelReason
- IMPORTS → CancelDetailBindingModel
- IMPORTS → SalesOrderCancelDetail
- IMPORTS → RejectDetailBindingModel
- IMPORTS → SalesOrderRejectDetail
- IMPORTS → UpcomingPrincipalInvoice
- IMPORTS → Create
- IMPORTS → ApproveArchiveRequest
- IMPORTS → ApproveArchiveRequest
- IMPORTS → RejectArchiveRequest
- IMPORTS → RejectArchiveRequest
- IMPORTS → EmailPotentialToPrincipal
- IMPORTS → PrintWord
- IMPORTS → GetJobById

Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (2)

- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126