

SalesPotentialController

August 17, 2026

SalesPotentialController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Sales/SalesPotentialController.cs (line 14)

Part of: Pams

Where it refuses work

- SalesPotentialController stops the work with an early return when !entity.HasObject , in 7 places.
- SalesPotentialController stops the work with an early return when !isFound , in 5 places.
- SalesPotentialController stops the work with an early return when isRegreted != Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully , in 4 places.
- SalesPotentialController stops the work with an early return when isEntitySaved == Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully , in 3 places.
- SalesPotentialController stops the work with an early return when !obj.HasObject , in 2 places.
- SalesPotentialController stops the work with an early return when obj.Id == 0 , in 2 places.

Relationships

- MODULE_DECLARES → GetSalesPotentialsByBranchId
- MODULE_DECLARES → GetSalesPotentialsByJobId
- MODULE_DECLARES → GetSalesPotentialById
- MODULE_DECLARES → GetSalesPotentialWithItemsById
- MODULE_DECLARES → GetRegretReasonById
- MODULE_DECLARES → GetCancelReasonById

- MODULE_DECLARES → CreateSalesPotential
- MODULE_DECLARES → UpdateSalesPotential
- MODULE_DECLARES → ConvertSalesLeadToInquiry
- MODULE_DECLARES → SendPotentialToPrincipal
- MODULE_DECLARES → AddNote
- MODULE_DECLARES → AddBidBondToInquiry
- MODULE_DECLARES → DeleteSalesPotential
- MODULE_DECLARES → UpdateCancelReason
- MODULE_DECLARES → UpdateRegretReason
- MODULE_DECLARES → RegretSalesPotential
- MODULE_DECLARES → CancelSalesPotential
- MODULE_DECLARES → UndoRegretSalesPotential
- MODULE_DECLARES → UndoCancelSalesPotential
- MODULE_DECLARES → ApproveArchiveRequest
- MODULE_DECLARES → RejectArchiveRequest
- MODULE_DECLARES → ConvertSalesLeadToMissed
- MODULE_DECLARES → ActivateMissedLead
- MODULE_DECLARES → EmailPotentialToPrincipal
- IMPORTS → BaseController
- IMPORTS → SalesInquiryBindingModel
- IMPORTS → GetRegretReasonById
- IMPORTS → GetRegretReasonById
- IMPORTS → GetCancelReasonById
- IMPORTS → GetCancelReasonById
- IMPORTS → GetCancelReasonById
- IMPORTS → DeleteDto
- IMPORTS → AddNote
- IMPORTS → SalesNoteDto
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save

- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → UserLogResultBindingModel
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → SalesJobGuaranteeBindingModel
- IMPORTS → SalesJobGuarantee
- IMPORTS → UpdateCancelReason
- IMPORTS → UpdateCancelReason
- IMPORTS → UpdateCancelReason
- IMPORTS → CancelDetailBindingModel
- IMPORTS → SalesPotentialCancelDetail
- IMPORTS → UpdateRegretReason
- IMPORTS → UpdateRegretReason
- IMPORTS → RegretDetailBindingModel
- IMPORTS → SalesPotentialRegretDetail
- IMPORTS → ApproveArchiveRequest
- IMPORTS → ApproveArchiveRequest
- IMPORTS → RejectArchiveRequest
- IMPORTS → RejectArchiveRequest
- IMPORTS → EmailPotentialToPrincipal

Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (2)

- `AppSettings` — `Frontend/src/app/settings/app/app.settings.ts :241`
- `AppSettings` — `Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126`