

TargetController

August 18, 2026

TargetController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Common/TargetController.cs (line 21)

Part of: [Pams](#)

Where it refuses work

- `TargetController` stops the work with an early return when `!ModelState.IsValid` , in 3 places.
- `TargetController` stops the work with an early return when `!isSaved` , in 2 places.
- `TargetController` stops the work with an early return when `!deleted` .
- `TargetController` stops the work with an early return when `isSaved` .
- `TargetController` stops the work with an early return when `sqlException.Number == 2601` .

Relationships

- MODULE_DECLARES → `TargetTypes`
- MODULE_DECLARES → `Insert`
- MODULE_DECLARES → `Update`
- MODULE_DECLARES → `CopyTo`
- IMPORTS → `BaseController`
- IMPORTS → `GetByCompanyBranchID`
- IMPORTS → `GetAll`
- IMPORTS → `GetAll`
- IMPORTS → `GetAll`
- IMPORTS → `GetAll`
- IMPORTS → `GetAll`

- [illegible]

- [illegible]

- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → CopyTo
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete

- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete