

TimePeriodController

August 17, 2026

TimePeriodController

Kind: Controller

Source: `Pams/API/Pams.API/Controllers/Sales/TimePeriodController.cs` (line 23)

Part of: [Pams](#)

When something fails

- `TimePeriodController` handles failure in 4 places: it turns it into a return value in all 4.

Relationships

- MODULE_DECLARES → `GetAll`
- IMPORTS → `TimePeriod`
- IMPORTS → `BaseController`
- IMPORTS → `GetAll`
- IMPORTS → `GetAll`
- IMPORTS → `GetAll`
- IMPORTS → `GetAll`
- IMPORTS → `GetAll`
- IMPORTS → `GetAll`
- IMPORTS → `GetAll`
- IMPORTS → `GetAll`
- IMPORTS → `TimePeriodBindingModel`

Used by

3 references from 3 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (3)

- `AppSettings` — `Frontend/src/app/settings/app/app.settings.ts :241`
- `AppSettings` — `Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126`
- `AppSettings` — `Pams/Web/Pams.WebApp/Client/app/settings/app/app.settings.ts :6`