

TransferOrderReasonController

August 18, 2026

TransferOrderReasonController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Common/TransferOrderReasonController.cs (line 11)

Part of: Pams

Where it refuses work

- TransferOrderReasonController stops the work with an early return when `logic.IsFound(CompanyID, ID)` .
- TransferOrderReasonController stops the work with an early return when `logic.IsExist(CompanyID, model.Name, model.Id)` .
- TransferOrderReasonController stops the work with an early return when `success == Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully` .
- TransferOrderReasonController stops the work with an early return when `!logic.IsFound(CompanyID, ID)` .
- TransferOrderReasonController stops the work with an early return when `success == Business.Entity.EnumNewSales.EnumReturnMessage.DeletedSuccessfully` .

Relationships

- MODULE_DECLARES → Get
- MODULE_DECLARES → GetAll
- MODULE_DECLARES → GetLookupTransferOrderReasonByCompanyId
- MODULE_DECLARES → Save
- MODULE_DECLARES → Delete
- IMPORTS → BaseController
- IMPORTS → GetById
- IMPORTS → GetById

- [illegible]

- [illegible]

- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → TransferOrderReasonBindingModel
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete

- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → DeleteDto

Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (2)

- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126