

WarehouseModelController

August 18, 2026

WarehouseModelController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Common/WarehouseModelController.cs (line 11)

Part of: [Pams](#)

Where it refuses work

- `WarehouseModelController` stops the work with an early return when `logic.IsFound(CompanyID, id)` .
- `WarehouseModelController` stops the work with an early return when `!logic.IsStoreFound(CompanyID, storeId)` .
- `WarehouseModelController` stops the work with an early return when `success == Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully` .

Relationships

- MODULE_DECLARES → `Get`
- MODULE_DECLARES → `GetByStore`
- MODULE_DECLARES → `GetAll`
- MODULE_DECLARES → `Save`
- IMPORTS → `BaseController`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`

- [illegible]

- [illegible]

- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → WarehouseModelBindingModel

Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (2)

- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126