

LogHistoryModulesEnum

August 17, 2026

LogHistoryModulesEnum

Kind: Enum

Source: `Pams/Web/Pams.Web/Client/app/components/log-history/log-history-model.ts` (line 1)

Part of: [Pams](#)

Values

- `None`
- `SalesJob`
- `PurchaseJob`
- `Account`
- `Contact`
- `Project`
- `Invoice`
- `Payment`
- `Task`
- `Activity`
- `AccountRegistration`
- `ProjectRegistration`
- `SalesInquiry`
- `SalesOffer`
- `SalesOrder`
- `SalesDeliveredOrder`
- `SalesItem`
- `PurchaseInquiry`
- `PurchaseOffer`
- `PurchaseOrder`

- PurchaseItem
- CancelSalesInquiry
- CancelSalesOffer
- CancelSalesOrder
- RegretSalesInquiry
- RegretSalesOffer
- LossSalesOffer
- RejectSalesOrder
- CancelSalesItem
- LossSalesItem
- RegretSalesItem
- RejectSalesItem
- ActivateSalesItem
- ActivateSalesInquiry
- ActivateSalesOffer
- ActivateSalesOrder
- ActivateSalesJob
- ChangeSalesJobStage
- InvoiceDeduction
- ActivityTopic
- ActivityAction
- CancelPurchaseInquiry
- CancelPurchaseOffer
- CancelPurchaseOrder
- PrincipalContract
- LetterOfGuarantee
- LGDeduction
- LGExtension
- SalesOrderNote
- SalesOfferNote

Used by

8 references from 8 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (8)

- `BookingTargetsComponent` — `Pams/Web/Pams.Web/Client/app/components/configuration/company/booking-targets/booking-targets.component.ts :1`
- `ReportsSettingsDetailsComponent` — `Pams/Web/Pams.Web/Client/app/components/configuration/reports-settings/reports-settings-details/reports-settings-details.component.ts :1`
- `InvoiceDetailsComponent` — `Pams/Web/Pams.Web/Client/app/components/invoices/invoice-details/invoice-details.component.ts :1`
- `LogHistoryComponent` — `Pams/Web/Pams.Web/Client/app/components/log-history/log-history.component.ts :1`
- `ContactViewEditComponent` — `Pams/Web/Pams.Web/Client/app/components/market/contacts/contact-view-edit/contact-view-edit.component.ts :1`
- `CurrencyRate` — `Pams/Web/Pams.Web/Client/app/components/payments/payment-details/payment-details.component.ts :1`
- `FlagsSettings` — `Pams/Web/Pams.Web/Client/app/settings/app/pams-datatypes/configurations/flags/flagsSettings.ts :5`
- `OrderValidationConditions` — `Pams/Web/Pams.Web/Client/app/settings/app/pams-datatypes/configurations/sales/order-validation-conditions.ts :5`